SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US - OSHA Hazard Communication Standard (29 CFR 1910.1200)

Issuing Date	31-Mar-2023	Revision Date 31-Mar-2023	Revision Number 1.07
1. Identific	cation		
Product ident	ifier		
Product Nam	e	Lemon	
Other means	of identification		
Synonyms		None	
Recommende	ed use of the cher	nical and restrictions on use	
Recommende	ed use	Air freshener	
Restrictions of	on use	No information available	
Details of the	supplier of the sa	fety data sheet	
Manufacturer Rexair LLC 2600 West Big Suite 555 Troy, MI 4808- 248-643-7222	Beaver Rd		
<u>E-mail</u>		webmaster@rexairllc.com	
Emergency te	elephone number		
Emergency te	elephone	1-800-255-3924 (ChemTel)	
2. Hazard	s) identificati	on	
Classification	<u>l</u>		
This chemical	is considered haza	rdous by the 2012 OSHA Hazard Communic	cation Standard (29 CFR 1910.1200).
Skin corrosion	/irritation		Category 2
Serious eye da	amage/eye irritatio	ו	Category 2A
Skin sensitizat	tion		Category 1A
Reproductive			Category 2
	-		· · ·

Hazards not otherwise classified (HNOC)

Not applicable.

Label elements

Warning



Hazard statements

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. **Precautionary Statements - Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/clothing and eye/face protection. Wash face, hands and any exposed skin thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Precautionary Statements - Response IF exposed or concerned: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water and soap. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. **Precautionary Statements - Storage** Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other information

Harmful to aquatic life with long lasting effects. Harmful to aquatic life.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No	Weight-%	Trade secret
Hexylene glycol	107-41-5	10-20	*
Orange oil	8028-48-6	0-2.5	*
Phenethyl alcohol	60-12-8	0-2	*
Lemon oil terpenes	68917-33-9	0-2	*
7-Octen-2-ol, 2-methyl-6-methylene-, dihydro derivitive	53219-21-9	0-2	*
Dipropylene glycol monomethyl ether	34590-94-8	1-5	*
β-Naphthyl ethyl ether	93-18-5	0-1	*
Tricyclodecenyl propionate	17511-60-3	0-1	*
Tetramethyl Acetyloctahydronaphthalenes	54464-57-2	0-1	*

Terpineol	98-55-5	0-1	*
Orange oil, sweet terpenes	68647-72-3	0-1	*
Nerol	106-25-2	0-1	*
Linalyl acetate	115-95-7	0-1	*
Linalool	78-70-6	0-1	*
Limonene	5989-27-5	0-1	*
Hexyl salicylate	6259-76-3	0-1	*
Hexyl cinnamal	101-86-0	0-1	*
Geranyl Acetate	105-87-3	0-1	*
Geraniol	106-24-1	0-1	*
gamma-Undecalactone	104-67-6	0-1	*
Ethyl methylphenylglycidate	77-83-8	0-1	*
Coumarin	91-64-5	0-1	*
Citral	5392-40-5	0-1	*
Benzyl benzoate	120-51-4	0-1	*
Benzyl acetate	140-11-4	0-1	*
a-Isomethyl ionone	127-51-5	0-1	*
Acetyl cedrene	32388-55-9	0-1	*
4-tert-Butylcyclohexyl acetate	32210-23-4	0-1	*
2-tert-Butylcyclohexyl acetate	88-41-5	0-1	*
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclo	1222-05-5	0-1	*
penta-gamma-2-benzopyran			
Tangerine oil	8016-85-1	0-0.5	*
Linalyl acetate	115-95-7	0-0.5	*
Grapefruit oil	8016-20-4	0-0.5	*
Geraniol	106-24-1	0-0.5	*
Hexyl salicylate	6259-76-3	0-0.2	*
trans-Anethole	4180-23-8	0-0.1	*
Reaction mass of 3,5-dimethyl	68039-49-6	0-0.1	*
cyclohex-3-ene-1-carbaldehyde and			
2,4-dimethylcyclohex-3-ene-1-carbaldehyde			
p-t-Butyl-alpha-methylhydroxycinnamicaldehyde	80-54-6	0-0.1	*
p-Methylanisole	104-93-8	0-0.1	*
Mandarin oil	8008-31-9	0-0.1	*
Lauricaldehyde	112-54-9	0-0.1	*
Isoeugenol	97-54-1	0-0.1	*
Citronellol	106-22-9	0-0.1	*
Citronellal	106-23-0	0-0.1	*
Cinnamaldehyde	104-55-2	0-0.1	*
Butylphenyl Methylpropional	80-54-6	0-0.1	*
Benzyl salicylate	118-58-1	0-0.1	*
alpha-Methyl-1,3-benzodioxole-5-propionaldehyde	1205-17-0	0-0.1	*
6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone	33704-61-9	0-0.1	*
2-Methyundecanal	110-41-8	0-0.1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.

Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. Wash off immediately with soap and plenty of water for at least 15 minutes.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).
Most important symptoms and effe	cts, both acute and delayed
Symptoms	Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.
Effects of Exposure	No information available.
Indication of any immediate medica	al attention and special treatment needed
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.
5. Fire-fighting measures	
Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.
Suitable Extinguishing Media Unsuitable extinguishing media	Dry chemical, CO2, water spray or regular foam. High volume water jet.
Unsuitable extinguishing media Specific hazards arising from the	High volume water jet.
Unsuitable extinguishing media Specific hazards arising from the chemical	High volume water jet. Product is or contains a sensitizer. May cause sensitization by skin contact. Carbon oxides.
Unsuitable extinguishing media Specific hazards arising from the chemical Hazardous combustion products Explosion data Sensitivity to mechanical impace	High volume water jet. Product is or contains a sensitizer. May cause sensitization by skin contact. Carbon oxides.
Unsuitable extinguishing media Specific hazards arising from the chemical Hazardous combustion products Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	 High volume water jet. Product is or contains a sensitizer. May cause sensitization by skin contact. Carbon oxides. Carbon oxides. St None. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
Unsuitable extinguishing media Specific hazards arising from the chemical Hazardous combustion products Explosion data Sensitivity to mechanical impac Sensitivity to static discharge Special protective equipment and precautions for fire-fighters 6. Accidental release measure	 High volume water jet. Product is or contains a sensitizer. May cause sensitization by skin contact. Carbon oxides. Carbon oxides. St None. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
Unsuitable extinguishing media Specific hazards arising from the chemical Hazardous combustion products Explosion data Sensitivity to mechanical impace Sensitivity to static discharge Special protective equipment and precautions for fire-fighters 6. Accidental release measure	High volume water jet. Product is or contains a sensitizer. May cause sensitization by skin contact. Carbon oxides. Carbon oxides. St None. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. Sures
Unsuitable extinguishing media Specific hazards arising from the chemical Hazardous combustion products Explosion data Sensitivity to mechanical impac Sensitivity to static discharge Special protective equipment and precautions for fire-fighters 6. Accidental release meas Personal precautions, protective equipment	High volume water jet. Product is or contains a sensitizer. May cause sensitization by skin contact. Carbon oxides. Carbon oxides. to None. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. Sures Guipment and emergency procedures Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.			
7. Handling and storage				
Precautions for safe handling				
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes.			
Conditions for safe storage, including any incompatibilities				
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.			
8. Exposure controls/perso	onal protection			

Control parameters

```
Exposure Limits
```

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Hexylene glycol 107-41-5	STEL: 50 ppm vapor fraction STEL: 10 mg/m ³ inhalable particulate matter, aerosol only TWA: 25 ppm vapor fraction	(vacated) Ceiling: 125 mg/m ³	Ceiling: 25 ppm Ceiling: 125 mg/m ³
Dipropylene glycol monomethyl ether 34590-94-8	TWA: 50 ppm	TWA: 100 ppm TWA: 600 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m ³ (vacated) S* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m ³ STEL: 150 ppm STEL: 900 mg/m ³
Citral 5392-40-5	dermal sensitizer TWA: 5 ppm inhalable fraction and vapor S*	-	-
Benzyl acetate 140-11-4	TWA: 10 ppm	-	-

Biological occupational exposure limits

Appropriate engineering controls

Engineering controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

9. Physical and chemical properties

Information on basic physical and Appearance Physical state Color Odor Odor threshold	<u>chemical properties</u> Clear liquid Liquid Colorless Fragrance No data available	
Property pH pH (as aqueous solution) Melting point / freezing point Initial boiling point and boiling rar Flash point Evaporation rate Flammability Flammability Limit in Air Upper flammability or explosive Lower flammability or explosive Vapor pressure Vapor density Relative density Water solubility Solubility(ies) Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity	124 °C / 255.2 °F	Remarks• MethodNo data availableNo data availableNo data availableNo data availableNo data availablePensky-Martens Closed Cup (PMCC)No data availableNo data avail
Other information Explosive properties Oxidizing properties Softening point Molecular weight VOC content VOC Liquid Density Bulk density	No information available No information available No information available No information available 0% 0% No information available No information available	

10. Stability and reactivity

Reactivity	None under normal use conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	Acids, Bases, Metals, Oxidizing or reducing agents, Metal salts, Isocyanates.
Hazardous decomposition products	Carbon oxides, Aldehydes, Cresol vapors, Oxides of yttrium, Organic acids and their derivatives.

11. Toxicological information

Information on likely routes of exposure

Product Information	
Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms related to the physical,	chemical and toxicological characteristics
Symptoms	Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity No information available

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50		
Hexylene glycol 107-41-5	= 3700 mg/kg (Rat)	= 12300 mg/kg (Rabbit)	-		
Orange oil 8028-48-6	-	> 5000 mg/kg (Rabbit)	-		
Phenethyl alcohol 60-12-8	= 1609 mg/kg (Rat)	= 2535 mg/kg (Rabbit)	> 4.63 mg/L (Rat)4 h		
Dipropylene glycol monomethyl ether	= 5.35 g/kg (Rat)	= 9500 mg/kg (Rabbit)	-		

34590-94-8			
β-Naphthyl ethyl ether 93-18-5	= 3110 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Tricyclodecenyl propionate 17511-60-3	> 5 g/kg (Rat)	-	-
Terpineol 98-55-5	= 5170 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Nerol 106-25-2	= 4500 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
Linalyl acetate 115-95-7	= 14550 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Linalool 78-70-6	= 2790 mg/kg (Rat)	= 5610 mg/kg (Rabbit)	-
Limonene 5989-27-5	= 5200 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
	= 4400 mg/kg (Rat)		
Hexyl salicylate 6259-76-3	> 5 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Hexyl cinnamal 101-86-0	= 3100 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	> 5 mg/L (Rat)4 h
Geranyl Acetate 105-87-3	= 6330 mg/kg (Rat)	-	-
Geraniol 106-24-1	= 3600 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
gamma-Undecalactone 104-67-6	= 18500 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Ethyl methylphenylglycidate 77-83-8	= 5470 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Coumarin 91-64-5	> 5000 mg/kg (Rat)	= 293 mg/kg (Rat)	-
Citral 5392-40-5	= 4960 mg/kg (Rat)	= 2250 mg/kg (Rabbit)	-
Benzyl benzoate 120-51-4	= 500 mg/kg (Rat)	= 4000 mg/kg (Rabbit)	-
Benzyl acetate 140-11-4	= 2490 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
a-Isomethyl ionone 127-51-5	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Acetyl cedrene 32388-55-9	-	> 5000 mg/kg (Rabbit)	-
4-tert-Butylcyclohexyl acetate 32210-23-4	= 5 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
2-tert-Butylcyclohexyl acetate 88-41-5	= 4600 mg/kg (Rat)	-	-
1,3,4,6,7,8-Hexahydro-4,6,6,7,8 ,8-hexamethylcyclopenta-gamm a-2-benzopyran 1222-05-5	> 3250 mg/kg (Rat)	> 3250 mg/kg (Rabbit)	-
Linalyl acetate 115-95-7	= 14550 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Grapefruit oil 8016-20-4	> 5 g/kg (Rat)	-	
Geraniol 106-24-1	= 3600 mg/kg (Rat)	> 5 g/kg (Rabbit)	

Hexyl salicylate 6259-76-3	> 5 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
trans-Anethole 4180-23-8	= 2090 mg/kg (Rat)	> 4900 mg/kg (Rabbit)	> 5.1 mg/L (Rat)4 h
p-t-Butyl-alpha-methylhydroxyci nnamicaldehyde 80-54-6	= 1390 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	>1802 mg/m³ (Rat)4 h
p-Methylanisole 104-93-8	= 1920 mg/kg (Rat)	> 5 g/kg (Rabbit)	> 6.1 mg/L (Rat)4 h
Mandarin oil 8008-31-9	> 5 g/kg (Rat)	-	-
Lauricaldehyde 112-54-9	= 23 g/kg (Rat)	> 2000 mg/kg (Rabbit)	-
lsoeugenol 97-54-1	= 1560 mg/kg (Rat)	-	-
Citronellol 106-22-9	= 3450 mg/kg (Rat)	= 2650 mg/kg (Rabbit)	-
Citronellal 106-23-0	= 2420 mg/kg (Rat)	> 2.5 g/kg (Rabbit)	-
Cinnamaldehyde 104-55-2	= 2220 mg/kg (Rat)	= 1260 mg/kg (Rabbit)	-
Butylphenyl Methylpropional 80-54-6	= 1390 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 1802 mg/m³ (Rat)4 h
Benzyl salicylate 118-58-1	= 2227 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
alpha-Methyl-1,3-benzodioxole- 5-propionaldehyde 1205-17-0	-	> 2000 mg/kg (Rabbit)	-
2-Methyundecanal 110-41-8	> 5 g/kg (Rat)	> 10 mL/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Irritating to skin.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye irritation.
Respiratory or skin sensitization	Classification based on data available for ingredients. May cause sensitization by skin contact.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Limonene 5989-27-5	-	Group 3	-	Х
Coumarin 91-64-5	-	Group 3	-	-
Benzyl acetate 140-11-4	-	Group 3	-	-

Legend

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. Suspected of damaging fertility or the unborn child.		
STOT - single exposure	No information available.		
STOT - repeated exposure	No information available.		
Target organ effects	Respiratory system. Eyes. Skin. Central nervous system.		
Aspiration hazard	No information available.		
Other adverse effects	No information available.		
Interactive effects	No information available.		

12. Ecological information

Ecotoxicity

Harmful to aquatic life with long lasting effects. Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hexylene glycol 107-41-5	-	LC50: 10500 - 11000mg/L (96h, Pimephales promelas) LC50: =10000mg/L (96h, Lepomis macrochirus) LC50: =8690mg/L (96h, Pimephales promelas) LC50: =10700mg/L (96h, Pimephales promelas)	-	EC50: 2700 - 3700mg/L (48h, Daphnia magna)
Phenethyl alcohol 60-12-8	EC50: =490mg/L (72h, Desmodesmus subspicatus)	-	-	EC50: =287.17mg/L (48h, Daphnia magna)
Dipropylene glycol monomethyl ether 34590-94-8	-	LC50: >10000mg/L (96h, Pimephales promelas)	-	LC50: =1919mg/L (48h, Daphnia magna)
Nerol 106-25-2	-	LC50: =20.3mg/L (96h, Danio rerio)	-	-
Linalyl acetate 115-95-7	-	LC50: =11mg/L (96h, Cyprinus carpio)	-	-
Linalool 78-70-6	EC50: =88.3mg/L (96h, Desmodesmus subspicatus)	LC50: =27.8mg/L (96h, Oncorhynchus mykiss)	-	EC50: =20mg/L (48h, Daphnia magna)
Limonene 5989-27-5	-	LC50: 0.619 - 0.796mg/L (96h, Pimephales promelas) LC50: =35mg/L (96h, Oncorhynchus mykiss)	-	-
Geraniol 106-24-1	-	LC50: =22mg/L (96h, Danio rerio)	-	-
Ethyl methylphenylglycidate 77-83-8	-	LC50: =4.2mg/L (96h, Oncorhynchus mykiss)	-	-
Citral 5392-40-5	EC50: =16mg/L (72h, Desmodesmus	-	-	EC50: =7mg/L (48h, Daphnia magna)

		(1 1
	subspicatus)			
	EC50: =19mg/L (96h,			
	Desmodesmus			
	subspicatus)			
Benzyl benzoate	_	LC50: =2.32mg/L (96h,	_	-
120-51-4		Danio rerio)		
4-tert-Butylcyclohexyl acetate	-	LC50: =8.6mg/L (96h,	-	-
32210-23-4		Cyprinus carpio)		
Linalyl acetate	-	LC50: =11mg/L (96h,	-	-
115-95-7		Cyprinus carpio)		
Geraniol	-	LC50: =22mg/L (96h,	-	-
106-24-1		Danio rerio)		
p-t-Butyl-alpha-methylhydroxy	-	LC50: 2.2 - 4.6mg/L	-	EC50: =10.7mg/L (48h,
cinnamicaldehyde		(96h, Brachydanio rerio)		Daphnia magna)
80-54-6				
p-Methylanisole	EC50: =320mg/L (72h,	-	-	EC50: =44.2mg/L (48h,
104-93-8	Desmodesmus			Daphnia magna Straus)
	subspicatus)			
	EC50: =390mg/L (96h,			
	Desmodesmus			
	subspicatus)			
Butylphenyl Methylpropional	-	LC50: 2.2 - 4.6mg/L	-	EC50: =10.7mg/L (48h,
80-54-6		(96h, Brachydanio rerio)		Daphnia magna)
Benzyl salicylate	-	LC50: =1.03mg/L (96h,	-	-
118-58-1		Danio rerio)		
6,7-Dihydro-1,1,2,3,3-pentame	-	LC50: =10.3mg/L (96h,	-	-
thyl-4(5H)-indanone		Danio rerio)		
33704-61-9				
2-Methyundecanal	-	LC50: =0.35mg/L (96h,	-	-
110-41-8		Oncorhynchus mykiss)		

Persistence and degradability

No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Hexylene glycol 107-41-5	0.14
Phenethyl alcohol 60-12-8	1.36
Dipropylene glycol monomethyl ether 34590-94-8	0.35
β-Naphthyl ethyl ether 93-18-5	3.747
Tetramethyl Acetyloctahydronaphthalenes 54464-57-2	5.7
Nerol 106-25-2	2.76
Linalyl acetate 115-95-7	3.9
Linalool 78-70-6	2.9
Limonene 5989-27-5	4.38
Hexyl salicylate	5.5

6259-76-3	
Geranyl Acetate	4.04
105-87-3	1.01
Geraniol	2.6
106-24-1	
gamma-Undecalactone	3.6
104-67-6	
Ethyl methylphenylglycidate	2.8
77-83-8	
Citral	2.76
5392-40-5	
Benzyl benzoate	3.97
120-51-4	
Benzyl acetate	1.96
140-11-4	
a-Isomethyl ionone	4.288
127-51-5	
Acetyl cedrene	5.9
32388-55-9	
4-tert-Butylcyclohexyl acetate	4.8
32210-23-4	
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma	5.3
-2-benzopyran	
1222-05-5	
Linalyl acetate	3.9
115-95-7	
Geraniol	2.6
106-24-1	
Hexyl salicylate	5.5
6259-76-3	
p-t-Butyl-alpha-methylhydroxycinnamicaldehyde	4.2
80-54-6	
p-Methylanisole	2.8
104-93-8	
Lauricaldehyde	4.9
112-54-9	
Citronellol	3.41
106-22-9	
Citronellal	3.62
106-23-0	a 1997
Cinnamaldehyde	2.1065
104-55-2	
Butylphenyl Methylpropional	4.2
80-54-6	
Benzyl salicylate	4
118-58-1	
alpha-Methyl-1,3-benzodioxole-5-propionaldehyde	2.4
1205-17-0	4.2
6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone	4.2
33704-61-9	4.0
2-Methyundecanal	4.9
110-41-8	

Other adverse effects

No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
California Hazardous Waste Status	This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport information	
DOT	Not regulated
	Not regulated
IMDG_	Not regulated

15. Regulatory information

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %	
Dipropylene glycol monomethyl ether - 34590-94-8	1.0	
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma	1.0	
-2-benzopyran - 1222-05-5		

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Dipropylene glycol 25265-71-8	-	-	Х
Hexylene glycol 107-41-5	Х	Х	Х
Dipropylene glycol monomethyl ether 34590-94-8	Х	Х	Х
Benzyl acetate 140-11-4	Х	-	-

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information						
NFPA <u>HMIS</u> Chronic Hazard Star Legen	Health hazards 2 Health hazards 2 * ad *= Chronic H	Flammability Flammability Health Hazard		Instability 0 Physical hazards 0	Special hazards - Personal protection X	
Key or legend to abbreviations and acronyms used in the safety data sheet						
TWA TWA Ceiling Maxi	POSURE CONTROLS/PE A (time-weighted average) imum limit value	*	STEL	STEL (Short Terr Skin designation	m Exposure Limit)	
Agency for Toxic Substa U.S. Environmental Prot European Food Safety A EPA (Environmental Prot Acute Exposure Guidelir U.S. Environmental Prot U.S. Environmental Prot Food Research Journal Hazardous Substance D International Uniform Ch Japan GHS Classificatio Australia National Indust NIOSH (National Institut National Library of Medic National Library of Medic National Toxicology Prog New Zealand's Chemica Organization for Econom	betection Agency) ne Level(s) (AEGL(s)) tection Agency Federal Ins tection Agency High Produ Database nemical Information Databa on trial Chemicals Notification te for Occupational Safety a cine's ChemID Plus (NLM cine's PubMed database (I gram (NTP) al Classification and Informa nic Co-operation and Deve nic Co-operation and Deve nic Co-operation and Deve	y (ATSDR) Database ecticide, Fungic ction Volume Cf se (IUCLID) and Assessmen and Health) CIP) NLM PUBMED) ation Database lopment Enviror lopment High P	ide, and Ro nemicals nt Scheme (CCID) nment, Hea roduction V	(NICNAS) Ith, and Safety Publicatio olume Chemicals Progra		

Issuing Date	31-Mar-2023
--------------	-------------

Revision Date

31-Mar-2023

Initial Release.

Revision Note Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet