# **SAFETY DATA SHEET**

This safety data sheet was created pursuant to the requirements of: US - OSHA Hazard Communication Standard (29 CFR 1910.1200)

Issuing Date 31-Mar-2023 Revision Date 31-Mar-2023 Revision Number 1.02

# 1. Identification

**Product identifier** 

Product Name Fragrance - Violet

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Air freshener

Restrictions on use No information available

Details of the supplier of the safety data sheet

### **Manufacturer Address**

Rexair LLC 2600 West Big Beaver Rd Suite 555 Troy, MI 48084 USA 248-643-7222

**E-mail** webmaster@rexairllc.com

Emergency telephone number

Emergency telephone 1-800-255-3924 (ChemTel)

## 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

This chamban a considered nazarada by the 2012 con in thazar	This didnical is considered hazarded by the zerz contribution standard (zero in the restriction).		
Skin corrosion/irritation	Category 2		
Serious eye damage/eye irritation	Category 2A		
Skin sensitization	Category 1		
Carcinogenicity	Category 2		

# Hazards not otherwise classified (HNOC)

Not applicable.

# Label elements

## Warning



### **Hazard statements**

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

Suspected of causing cancer.

## **Precautionary Statements - Prevention**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/clothing and eye/face protection.

Wash face, hands and any exposed skin thoroughly after handling.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Contaminated work clothing must not be allowed out of the workplace.

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

### **Precautionary Statements - Storage**

Store locked up.

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

### Other information

Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

# 3. Composition/information on ingredients

### Substance

Not applicable.

## <u>Mixture</u>

Chemical name	CAS No	Weight-%	Trade secret
Hexylene glycol	107-41-5	10-20	*
Terpineol	98-55-5	1-5	*
Phenethyl alcohol	60-12-8	1-5	*
a-Isomethyl ionone	127-51-5	1-5	*
4-tert-Butylcyclohexyl acetate	32210-23-4	1-5	*
Dipropylene glycol monomethyl ether	34590-94-8	1-5	*
Terpinyl acetate (Isomer mixture)	8007-35-0	1-5	*
Orange oil, sweet terpenes	68647-72-3	1-5	*
Musk ketone	81-14-1	1-5	*
Geraniol	106-24-1	< 3	*
Diphenyl ether	101-84-8	1-5	*

Benzyl benzoate	120-51-4	1-5	*
2-tert-Butylcyclohexyl acetate	88-41-5	1-5	*
Phenethyl salicylate	87-22-9	0.1-0.5	*
2-Methyl-3-(p-isopropylphenyl)propionaldehyde	103-95-7	0.1-0.5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. First-aid measures

### **Description of first aid measures**

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

**Skin contact** May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a

physician. Wash off immediately with soap and plenty of water for at least 15 minutes.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a physician.

**Self-protection of the first aider** Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

**Symptoms** Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.

**Effects of Exposure** No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

## 5. Fire-fighting measures

**Suitable Extinguishing Media** Dry chemical, CO2, water spray or regular foam.

**Unsuitable extinguishing media** High volume water jet.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Hazardous combustion products Carbon oxides.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

**Other information** Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

# 7. Handling and storage

## Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

# 8. Exposure controls/personal protection

### Control parameters

**Exposure Limits** The following ingredients are the only ingredients of the product above the cut-off level (or

level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other

recommended limit. At this time, the other relevant constituents have no known exposure

limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Hexylene glycol	STEL: 50 ppm vapor fraction	(vacated) Ceiling: 25 ppm	Ceiling: 25 ppm
107-41-5	STEL: 10 mg/m <sup>3</sup> inhalable	(vacated) Ceiling: 125 mg/m <sup>3</sup>	Ceiling: 125 mg/m <sup>3</sup>
	particulate matter, aerosol		
	only		
	TWA: 25 ppm vapor fraction		
Dipropylene glycol monomethyl ether	TWA: 50 ppm	TWA: 100 ppm	IDLH: 600 ppm
34590-94-8		TWA: 600 mg/m <sup>3</sup>	TWA: 100 ppm
		(vacated) TWA: 100 ppm	TWA: 600 mg/m <sup>3</sup>
		(vacated) TWA: 600 mg/m <sup>3</sup>	STEL: 150 ppm
		(vacated) STEL: 150 ppm	STEL: 900 mg/m <sup>3</sup>
		(vacated) STEL: 900 mg/m <sup>3</sup>	
		(vacated) S*	
		S*	
Diphenyl ether	STEL: 2 ppm vapor fraction	TWA: 1 ppm vapor	IDLH: 100 ppm vapor
101-84-8	TWA: 1 ppm vapor	TWA: 7 mg/m³ vapor	TWA: 1 ppm vapor
		(vacated) TWA: 1 ppm vapor	TWA: 7 mg/m <sup>3</sup> vapor

	(vacated) TWA: 7 mg/m <sup>3</sup>	
	vapor	

#### Biological occupational exposure limits

## **Appropriate engineering controls**

Engineering controls Showers

Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Hand protection** Wear suitable gloves. Impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid

contact with skin, eyes or clothing.

# 9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Clear liquid
Physical state Liquid
Color Colorless
Odor Fragrance
Odor threshold No data available

PropertyValuesRemarks • MethodpHNo data availablepH (as aqueous solution)No data availableMelting point / freezing pointNo data available

Initial boiling point and boiling range

No data available

Flash point 124 °C / 255.2 °F Pensky-Martens Closed Cup (PMCC)

Evaporation rateNo data availableFlammabilityNo data available

Flammability Limit in Air

Upper flammability or explosive limits No data available Lower flammability or explosive limits No data available Vapor pressure No data available No data available Vapor density Relative density No data available No data available Water solubility Solubility(ies) No data available Partition coefficient No data available **Autoignition temperature** No data available No data available **Decomposition temperature** Kinematic viscosity No data available

Dynamic viscosity

No data available

Other information

Explosive propertiesNo information availableOxidizing propertiesNo information availableSoftening pointNo information availableMolecular weightNo information available

VOC content 0% VOC 0%

Liquid Density

No information available

Bulk density

No information available

# 10. Stability and reactivity

**Reactivity** None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions 
None under normal processing.

Conditions to avoid None known based on information supplied.

**Incompatible materials** Acids, Bases, Metals, Oxidizing or reducing agents, Metal salts, Isocyanates.

Hazardous decomposition products Carbon oxides, Aldehydes, Cresol vapors, Oxides of yttrium, Organic acids and their

derivatives.

## 11. Toxicological information

### Information on likely routes of exposure

**Product Information** 

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

**Skin contact** Specific test data for the substance or mixture is not available. May cause sensitization by

skin contact. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components). Causes skin irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Acute toxicity .

Numerical measures of toxicity

No information available

**Component Information** 

Component Information			
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hexylene glycol 107-41-5	= 3700 mg/kg (Rat)	= 12300 mg/kg ( Rabbit )	-
Terpineol 98-55-5	= 5170 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Phenethyl alcohol 60-12-8	= 1609 mg/kg (Rat)	= 2535 mg/kg (Rabbit)	> 4.63 mg/L (Rat)4 h
a-Isomethyl ionone 127-51-5	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
4-tert-Butylcyclohexyl acetate 32210-23-4	= 5 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Dipropylene glycol monomethyl ether 34590-94-8	= 5.35 g/kg (Rat)	= 9500 mg/kg ( Rabbit )	-
Musk ketone 81-14-1	> 10 g/kg (Rat)	> 10 g/kg (Rabbit)	> 2.99 mg/L (Rat)4 h
Geraniol 106-24-1	= 3600 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
Diphenyl ether 101-84-8	= 2450 mg/kg (Rat)	> 7940 mg/kg (Rabbit)	-
Benzyl benzoate 120-51-4	= 500 mg/kg (Rat)	= 4000 mg/kg (Rabbit)	-
2-tert-Butylcyclohexyl acetate 88-41-5	= 4600 mg/kg (Rat)	-	-
2-Methyl-3-(p-isopropylphenyl)p ropionaldehyde 103-95-7	= 3810 mg/kg (Rat)	> 5000 mg/kg (Rat)	-

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization Classification based on data available for ingredients. May cause sensitization by skin

contact.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. Suspected of causing cancer.

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

Target organ effects Respiratory system. Eyes. Skin. Central nervous system.

**Aspiration hazard** No information available.

Other adverse effects No information available.

Interactive effects No information available.

# 12. Ecological information

## **Ecotoxicity**

Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hexylene glycol 107-41-5	-	LC50: 10500 - 11000mg/L (96h, Pimephales promelas) LC50: =10000mg/L (96h, Lepomis macrochirus) LC50: =8690mg/L (96h, Pimephales promelas) LC50: =10700mg/L (96h, Pimephales promelas)	<u>-</u>	EC50: 2700 - 3700mg/L (48h, Daphnia magna)
Phenethyl alcohol 60-12-8	EC50: =490mg/L (72h, Desmodesmus subspicatus)	-	-	EC50: =287.17mg/L (48h, Daphnia magna)
4-tert-Butylcyclohexyl acetate 32210-23-4	-	LC50: =8.6mg/L (96h, Cyprinus carpio)	-	-
Dipropylene glycol monomethyl ether 34590-94-8	-	LC50: >10000mg/L (96h, Pimephales promelas)	-	LC50: =1919mg/L (48h, Daphnia magna)
Geraniol 106-24-1	-	LC50: =22mg/L (96h, Danio rerio)	-	-
Diphenyl ether 101-84-8	-	LC50: =4mg/L (96h, Pimephales promelas) LC50: 4 - 7.9mg/L (96h, Pimephales promelas)	-	LC50: 0.11 - 1.1mg/L (48h, Daphnia magna)
Benzyl benzoate 120-51-4	-	LC50: =2.32mg/L (96h, Danio rerio)	-	-

Persistence and degradability

No information available.

## Bioaccumulation

**Component Information** 

Chemical name	Partition coefficient
Hexylene glycol 107-41-5	0.14
Phenethyl alcohol 60-12-8	1.36
a-Isomethyl ionone 127-51-5	4.288
4-tert-Butylcyclohexyl acetate 32210-23-4	4.8
Dipropylene glycol monomethyl ether 34590-94-8	0.35
Musk ketone 81-14-1	4.24
Geraniol 106-24-1	2.6
Diphenyl ether 101-84-8	4.21
Benzyl benzoate 120-51-4	3.97
Phenethyl salicylate	4.8

87-22-9	
2-Methyl-3-(p-isopropylphenyl)propionaldehyde 103-95-7	3.4

Other adverse effects No information available.

# 13. Disposal considerations

### Waste treatment methods

products

Waste from residues/unused

Should not be released into the environment. Dispose of in accordance with local

regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as

a hazardous waste.

# 14. Transport information

**DOT** Not regulated

<u>IATA</u> Not regulated

IMDG Not regulated

## 15. Regulatory information

### **International Inventories**

Contact supplier for inventory compliance status

## US Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Dipropylene glycol monomethyl ether - 34590-94-8	1.0

### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Dipropylene glycol 25265-71-8	-	•	Х
Hexylene glycol 107-41-5	X	X	Х
Dipropylene glycol monomethyl ether 34590-94-8	X	X	X
Diphenyl ether 101-84-8	Х	Х	Х

### U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable

## 16. Other information

NFPA<br/>HMISHealth hazards2Flammability1Instability0Special hazards-Chronic Hazard Star Legend\*= Chronic Health Hazard\*= Chronic Health Hazard\*= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

## Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 31-Mar-2023

Revision Date 31-Mar-2023

**Revision Note** SDS sections updated: 1.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**